

# Dean Forest Railway Telecoms



Telecoms is a small group that can usually only muster a maximum of three persons for lineside work at any one time. Often the number is down to two and often the nature of the work requires the staff to be deployed at more than one point at the same time. Generally we work under "red zone" conditions. These rules have been written with these limitations in mind.

All lineside telecom items will be given a listing as follows :

**Type 1 :** item placed in a safe location and no special precautions will be necessary. Should any minor hazards exist, they will be listed below. Suitable for singleton working.

**Type 2 :** item placed in a location that is safe with care. Most locations are type 2. Some hazards may exist and will be listed below. Any particular precautions will also be listed. At least two people must be employed on work at type 2 locations.

**Type 3 :** item placed in a position that is not safe without special precautions that will be listed below.

## **Item Description : Norchard DP3FA**

**(Large Cabinet renumbered from DP3G which is currently in an adjacent cabinet)**

**Location : 150m south of Middle Forge Crossing**

**Safety Category : Type 2 safe with care**



**Distance from rail : 2m**

**Distance from rail by Technician : 1m**

**Train visibility : south 50m, north 100m**

**Hazards : Close to rail, beware possibility of wasp nest in cabinet, tripping hazards from undergrowth.**

**Keys required : Cabinet Key**

**Nearest Phone : Signal Box**

**Nearest Signal Post Phone : Signal Post near crossing**

**Nearest Road Access Point : Footpath to Middle Forge**

**Nearest Refuge : Beside Cabinet**

**Approach : From footpath to Middle Forge**

**Special Precautions Required : Restricted visibility. A careful watch is essential.**

**Surveyed by: Paul Seward, Ian Stubbs Date Surveyed : Feb 2011 Issue Number : 2**

**Diagram ndp3fa.pdf**